

Message

From: Krueger, Thomas [krueger.thomas@epa.gov]
Sent: 4/28/2022 6:00:24 PM
To: Urban, Amanda [urban.amanda@epa.gov]
Subject: FW: Third Site ERH-Bio cost comparison details
Attachments: Cost Comparison Thermal-Bio Memo April 28 2022.pdf

From: Julie Konzuk <JKonzuk@Geosyntec.com>
Sent: Thursday, April 28, 2022 12:33 PM
To: Ohl, Matthew <ohl.matthew@epa.gov>
Cc: Gary Wealthall <GWealthall@Geosyntec.com>; Norman Bernstein <nwbernstein@nwbllc.com>; Peter M. Racher Esq. <pracher@psrb.com>; Krueger, Thomas <krueger.thomas@epa.gov>; Andrew A Gremos <agremos@ramboll.com>; Urban, Amanda <urban.amanda@epa.gov>; Knox, Corey S CIV (USA) <Corey.S.Knox@usace.army.mil>; Clabaugh, William B CIV USARMY CELRL (USA) <William.B.Clabaugh@usace.army.mil>; Grimm, Jennifer J CIV USARMY CEHNC (USA) <Jennifer.J.Grimm@usace.army.mil>; Neighbors, Katie <kneighbo@idem.IN.gov>
Subject: Third Site ERH-Bio cost comparison details

Matt,

As requested by USACE during our call on February 16, 2022, we have compiled additional information with regards to the assumed scope and effort required to implement both an ERH remedy versus a bioremediation remedy to treat the DNAPL phase remaining in the Lower Till in the DNAPL Cell on Third Site. The attached memo provides more details on the assumptions and assumed scope of work for each remedy. Also provided, for convenience, a summary of previously provided information comparing the two remedies in terms of their advantages, disadvantages, limitations and potential risks.

We are working on addressing the recently provided comments on the proposed delineation program for the DNAPL Cell and will provide a response to those comments in May as requested.

Regards,

Julie

Julie Konzuk, Ph.D., P.Eng. (ON)
Senior Principal
Geosyntec Consultants International, Inc.
1243 Islington Avenue
Suite 1201
Toronto, ON M8X 1Y9
Phone: 416.637.8746 Mobile: 416.271.2373
(She/Her)

[GEOSYNTEC](#) | [SIREM](#) | [SAVRON](#)

Follow Us – [LinkedIn](#) | [Twitter](#) | [Facebook](#) | [YouTube](#)

**Please note if you are receiving this email outside of working hours, there is no expectation of a reply outside of working hours. I am sending this at a time that suits my work schedule, noting I may be in a different time zone or working flex hours.*

